



FORESTER

GENUINE PARTS

INSTALLATION INSTRUCTIONS


AIR FILTER KIT

1 Part No. G3010SA100

2 Applicable Model FORESTER (2003MY~)/LHD

3 Component parts (Confirm component parts before you start installation)

No.	DESCRIPTION	Q'ty	REMARKS
1	FILTER	1	
2	SERVICE LABEL	1	Small label
3	CAUTION LABEL	1	Large label
4	INSTALLATION INSTRUCTIONS	1	




4 TOOLS Phillips screwdriver

AIR FILTRATION SYSTEM


This vehicle is equipped with a cabin air filtration system. The system traps airborne dust and dirt particles which would otherwise circulate throughout the vehicle's interior.

Since the air filter element is viscous, it is unnecessary to clean or wash the element. For normal conditions, the element should be replaced once every 12 months or 7,500 miles (12,000 km) whichever ever come first. Under extremely dusty conditions, the filter should be replaced more frequently. It is recommended that you have your filter checked or replaced by your SUBARU dealer.


5 INSTALLATION PROCEDURE



1. Remove the glove box.




2. Remove the filter cover.




3. Insert the filter.

CAUTION


The arrow mark on the filter must point UP.



4. Reinstall the filter cover.



5. Reinstall the glove box.



6. LABEL installation

- (1) Fill out the information on the service label (small).
- (2) Attach service and caution labels on the lower part of the 'B' pillar.

7. REPLACEMENT TIMING

12 months or 7,500 miles (12,000 km)

- (1) The above replacement schedule should be followed to ensure proper function.

NOTE

The filter can influence the air conditioning, heating and defroster performance.

CAUTION

Contact your dealer if the following occurs, even if it is not yet time to change the filter:

- Reduction of air flow through the vents.
- Windshield gets easily fogged or misted.

Upon completion of the installation process, the installation instructions must be folded in such a way that the customer service information is visible. Then the instructions must be inserted in the owner's information kit, which is located in the glove box.